

# Daylight Saving Adjustment

## MTE User Manual - Report Fundamentals

4.03

### MetroCount

#### Australia

15 O'Connor Close  
North Coogee WA 6163  
Ph: 08 9430 6164  
Fax: 08 9430 6187  
Email: [sales@metrocount.com](mailto:sales@metrocount.com)

#### United Kingdom

Unit 15, Oliver Business Park  
Oliver Road  
Park Royal, London NW10 7JB  
Ph: 020 8782 8999  
Fax: 020 8782 8737  
Email: [uksales@metrocount.com](mailto:uksales@metrocount.com)

#### United States


11820 West Market Place, Suite M  
Fulton MD 20759  
Ph: 800 576 5692  
Fax: 301 490 3521  
Email: [usasales@metrocount.com](mailto:usasales@metrocount.com)

[www.metrocount.com](http://www.metrocount.com)

# Daylight Saving Adjustment

MCRReport provides optional support for Daylight Saving transitions, by adding or removing raw data. Data files containing a Daylight Saving transition will have an empty period of data added at the beginning transition, and a period of overlapped data removed at the ending transition. Files without a Daylight Saving transition are unaffected.

The Daylight Saving zone is set in MCRReport's Global Settings, by selecting **Tools » Settings** from MCRReport's main menu. The selected zone will be applied to all datasets. Each zone has an entry per year, to allow for years with exceptional changes.



## Adjusting for Daylight Saving

The selected Daylight Saving zone is displayed in each report's header. Transitions that occur within the duration of the report will be listed next to the zone.

**Datasets:**  
**Site:** [Narrows Loop South] Narrows Bridge South  
**Input A:** 3 - South bound - Lane= 1, Added to totals. (1,000)  
**Input B:** 3 - South bound - Lane= 2, Added to totals. (1,000)  
**Survey Duration:** 09:00 Friday, 12 December 2009 - 17:32 Tuesday, 31 March 2009  
**Zone:** Australia (WA) [03:00 Sunday, 29 March 2009 - -3600]  
**File:** Narrows Loop South 31 Mar 2009 EC1 (Plus)  
**Identifier:** AG16FBMZ MC5805-X20 (c)MetroCount 16Oct08  
**Algorithm:** Binned events, 5 minute steps (Interpolate On)  
**Data type:** Vehicle sensors - Separate (Count)

## Daylight Saving transitions are indicated in the report header

**[www.metrocount.com](http://www.metrocount.com)**

Copyright© 1991, 2013 Microcom Pty Ltd. All rights reserved. MetroCount, Traffic Executive, MCSetup, MCSetLite, MCRReport, MCTools, Microcom and Microcom Pty Ltd, and the MetroCount and Microcom Pty Ltd logo, are trademarks of Microcom Pty Ltd. All other trademarks are the property of their respective owners. Other Microcom intellectual property including Patents and designs may be protected by international law. The furnishing of this software, the accompanying product or any related documentation or materials does not give you any license to this intellectual property.