

Separation Statistics

MTE User Manual - Classification Reports

3.21

May 2009

Separation Statistics

Overview

The Separation Statistics report provides a table of separation bin distribution with multipliers, in a single page format for the entire tagged data. Remember that separation can be defined as headway or gap in the Advanced Profile options.

Separation Bir	<u>ns</u>										
Separation		Bin		Below		ı	Above		ı	sMult	n * sMult
0.00 -	0.50	129752	11.8%	129752	11.8%	Τ	968884	88.2%	1	8.00 J	1038016.00
0.50 -	1.00	403490	36.7%	533242	48.5%	1	565394	51.5%	1	4.00	1613960.00
1.00 -	2.00	263272	24.0%	796514	72.5%	1	302122	27.5%	1	2.00	526544.00
2.00 -	4.00	157403	14.3%	953917	86.8%	1	144719	13.2%	1	1.00	157403.00
4.00 -	8.00	85657	7.8%	1039574	94.6%	1	59062	5.4%	1	0.00	0.00
8.00 -	16.00	37270	3.4%	1076844	98.0%	1	21792	2.0%	1	0.00 [0.00
16.00 -	32.00	13771	1.3%	1090615	99.3%	1	8021	0.7%	1	0.00	0.00
32.00 -	64.00	4290	0.4%	1094905	99.7%	1	3731	0.3%	1	0.00 [0.00
64.00 -	128.00	1944	0.2%	1096849	99.8%	1	1787	0.2%	1	0.00	0.00
128.00 - 1	.000.00	0	0.0%	1096849	99.8%	1	1787	0.2%	1	0.00 [0.00
Total Constation	D-4: 00	25022.00									

Separation Statistics Sample

The Separation Bins table provides bin totals, plus cumulative totals above and below the upper limit of each bin (highlighted in bold). The **sMult** column is each separation bin's multiplier, with **n** * **sMult** the product of each separation bin's total volume and multiplier. The total gives the Separation Rating for the entire data.

By Hour

The hourly variant of the Separation Statistics report provides separation bin distribution grouped by hour of day.

ime		Bin	Mean	1	Sep	Sep	Sep	Sep	Sep	Sep	Sep	Sep	Sep	Seg
- 1	ı	1		I	0.0	0.5	1.0	2.0	4.0	8.0	16.0	32.0	64.0	128.0
	l_	1		1	0.5	1.0	2.0	4.0	8.0	16.0	32.0	64.0	128.0	1000.
000	I	11206	21.0	I	3	222	1195	1735	2068	2239	1971	1130	444	19
100	I	7018	31.5	I	0	86	528	822	1006	1371	1403	1023	477	29
200	ı	4657	48.2	I	1	26	223	356	493	804	986	916	503	34
300	I	4506	58.6	1	0	11	178	279	467	735	962	967	523	37
400	I	6199	42.3	1	1	47	292	544	776	1157	1385	1108	546	34
500	ı	16262	16.1	1	10	583	2199	2899	3339	3308	2340	1089	349	14
600	ı	42520	18.6	1	73	4809	13098	9981	7231	4586	1916	599	175	3
700	ı	72229	12.5	1	96	11304	32292	15957	7509	3340	1210	386	94	2
800	1	79364	12.0	1	103	11660	36690	18255	7965	3266	1039	306	38	1
900	ı	62367	7.2	1	83	6899	23016	16276	9854	4563	1394	253	12	
000	ı	60618	6.6	1	79	6187	21426	16345	10014	4894	1453	192	8	
100	ı	65306	6.2	1	93	7320	24217	17254	10287	4713	1239	151	3	
200	ı	70013	6.6	1	101	8486	27238	18227	10252	4460	1121	111	0	
300	ı	67360	6.9	1	92	7971	25510	17664	10192	4537	1234	131	6	
400	ı	69167	10.5	1	104	8736	26558	17828	10181	4428	1156	154	3	
500	ı	79571	8.6	1	133	11833	33338	19593	9780	3819	942	101	2	
600	ı	92027	7.5	1	156	15583	42098	21305	8976	3162	631	81	4	
700	1	92431	5.0	I	150	14607	42984	22235	8659	3010	643	88	9	1
800	ı	62081	6.9	I	86	7084	23016	15923	9606	4582	1515	242	8	
900	ı	38631	8.0	I	36	2690	10227	9489	7835	5300	2333	649	55	
000	ı	28888	9.9	I	24	1307	5859	6592	6431	4978	2636	917	133	
100	ı	26615	11.6	I	16	1135	5092	5872	5949	4690	2657	1007	182	
200	ı	22799	11.9	I	5	759	3911	4803	5048	4321	2592	1032	298	2
300	I	16801	16.4	I	6	407	2305	3038	3485	3394	2512	1138	418	9

Separation Statistics by Hour Sample

www.metrocount.com

Copyright© 1991, 2009 Microcom Pty Ltd. All rights reserved. MetroCount, Traffic Executive, MCSetup, MCSetLite, MCReport, MCTools, Microcom and Microcom Pty Ltd, and the MetroCount and Microcom Pty Ltd logo, are trademarks of Microcom Pty Ltd. All other trademarks are the property of their respective owners. Other Microcom intellectual property including Patents and designs may be protected by international law. The furnishing of this software, the accompanying product or any related documentation or materials does not give you any license to this intellectual property.